

APPENDIX 23 - EC ELECTRONIC DATA EXCEPTION CODES

Field/Error Code/Error Severity/Description

- | | | |
|----|-------------------------------|--|
| 1 | LEA Number | |
| | 1A | F LEA Number is invalid. |
| 2 | School Number | |
| | 2A | F School Number is invalid (000 is valid). |
| 3 | Originate Code | |
| | 3A | W Originate Code is expected to include NC or CU as the first two characters. |
| 4 | Run Date | |
| | 4A | W Run Date identifies the system date on which the headcount was produced. It must be within current school year (i.e. the YYYY of YYYYMMDD must be within the current school year). |
| | 4B | W Run Date identifies the date on which the headcount was produced. It can be no more than four days earlier than the Effective Date (i.e. Run Date is earlier than Effective Date - four days). |
| 5 | Year Code | |
| | 5A* | W Year Code must be in the format 9999/99. |
| | 5B | F Year Code must be within the current school year (i.e. each year represented in the Year Code must be in the current school year). |
| 6 | Membership Period Code | |
| | 6A | F Membership Period Code is incorrect. It must be DC for December count or AC for April count. |
| 8 | Social Security Number | |
| | 8A‡ | W Social Security Number is blank. |
| | 8B‡ | W Social Security Number is duplicated within this school. |
| 10 | EC Identifier | |
| | 10A | F EC Identifier is duplicated within this school. |
| | 10B | F EC Identifier is blank. |
| | 10C‡ | W EC Identifier must be in the format LLLFMMDDYYX, where LLL is the first three characters of the last name, F is the first character of the first name, and MMDDYY is the student's birthdate and X is a character from A to Z or a digit from 0 to 9 or blank. |
| | 10D* | W EC Identifier must be in the format LLLFMMDDYYX, where LLLFMM is a character from A to Z, DDYY is a digit from 0 to 9, and X is a character from A to Z or a digit from 0 to 9 or blank. |

- 11 **Effective Date**
11A‡ F Effective Date must be December 1 of the current school year for the December count (i.e. Membership Period = DC and the 9999 of 99991201 is not = the earlier year represented in the Year Code).
11B‡ F Effective Date must be April 1 of the current school year for the April count (i.e. Membership Period = AC and the 9999 of 99990401 is not = the later year represented in the Year Code).
- 12 **Birthdate**
12A‡ F Birthdate is later than or equal to the Effective Date. (i.e. Exit Code not = blank, and Birthdate = > Effective Date).
12B‡ F Birthdate is blank.
12C‡ W Birthdate is suspect. It is earlier than January 1, 1968.
12D‡ F Birthdate is invalid. The month must be 01-12. Days must be 01-31.
- 13 **Age**
13A W Age is expected to be from 00 - 25.
- 14 **Age Calculation Date**
14A‡ F Age Calculation Date must be December 1 of the current school year for the December count (i.e. Age Calculation Date not = 99991201 where 9999 is the earlier year in the Year Code).
14B‡ F Age Calculation Date must be December 1 of the current school year for the April count unless the grade level is PK and age is 3 and birthdate is > December 1 in which case the date must be April 1 of the current school year (i.e. Age Calculation Date not = 99991201 where 9999 is the earlier year in the Year Code or Age Calculation Date not = 9999(~401 where 9999 is the later year in the Year Code and the Grade Level = PK and Age = 3 and birthdate > December 1).
- 15 **Ethnic Code**
15A F Ethnic Code must be AMIN, ASIA, BLCK, HISP, or WHITE if Membership Period = DC.
15B F Ethnic Code must be AMIN, ASIA, BLCK, HISP, or WHITE if Membership Period = AC.
- 16 **Sex**
16A F Sex Code must be M or F.
- 17 **Grade Level**
17A F Grade level must be 01-12, PK, KI, EX, or TM.

- 22 **IEP team decision for Placement Date**
- 22A‡ W IEP team decision for Placement Date is expected to be equal to or earlier than the Effective Date for students being counted as served (i.e. IEP team decision for Placement Date is non-blank and > Effective Date, and Extraction Status Code not = blank or VIBS or STUx where x = N, 3, 4, 5).
- 22B‡ W IEP team decision for Placement Date is not expected for students who are suspect (i.e. Extraction Status Code = VIBS and IEP team decision for Placement Date is present and < = effective date).
- 22C‡ W IEP team decision for Placement Date is expected for students who are placed (i.e. IEP team decision for Placement Date is blank but Exceptionality is present).
- 22D‡ W IEP team decision for Placement Date is expected for students who are placed (i.e. IEP team decision for Placement Date is blank, but extraction status code other than VIBS is present).
- 23 **Exceptionality**
- 23A F Exceptionality must be AG, AU, DB, EH, EM, HI, LD, MU, OH, OI, DD, PG, SI, SP, TB, TM, VI or blank.
- 23B W Exceptionality is not expected for students who are suspect (i.e. exceptionality is present and extraction status code = VIBS).
- 23C F Exceptionality is expected for any student who is placed (i.e. extraction status code other than VIBS is present but exceptionality is blank).
- 23E W Exceptionality of PG is invalid for a student in grade level PK.
- 24 **Extraction Status Code**
- 24A F Extraction Status Code must be VIBF, VIBC, VIBS, TTL1 or blank for the December Count (i.e. Membership Period = DC and Extraction Status Code not = one of the listed codes or blank).
- 24B F Extraction Status Code must be STSV, STUN, STS3, STS4, STS5, STU3, STU4, STU5 or blank for the April count (i.e. Membership Period = AC and Extraction Status Code not = one of the listed codes or blank).
- 24C‡ F Extraction Status Code of TTL1 is invalid. All of the following conditions must be met to be valid:
 Age < 22 and > 2
 Exceptionality not = AG or PG
 SOP Code not = blank
 Exit Code = blank
 Classification Code = SERV
 Entitlement Flag = Y
 Compliance Flag = blank and Compliance Override Flag = S or C
- 24D* F Extraction Status Code of TTL1 is invalid. All of the following conditions must be met to be valid:
 Age < 22 and > 2
 Exceptionality not = AG or PG

		SOP Code not = blank
24E‡	F	Extraction Status Code of VIBF is invalid. All of the following condition must be met to be valid: Not "ITL1" Age < 22 and > 2 Exceptionality not = AG or PG Exit Code = blank Classification Code = SERV Entitlement Flag = Y Compliance Flag = blank, and Compliance Override Flag = S or C
24F*	F	Extraction Status Code of VIBF is invalid. All of the following conditions must be met to be valid: Not "TTL1" Age <22 and >2 Exceptionality not = AG or PG
24G‡	F	Extraction Status Code of VIBC is invalid. All of the following conditions must be met to be valid: Not "TTL1" or "VIBF" Age < 23 Exit Code = blank Classification Code = SERV Entitlement Flag = Y Compliance Flag = blank, and Compliance Override Flag = S or C
24H*	F	Extraction Status Code of VIBC is invalid. All of the following conditions must be met to be valid: Not "TTL1" or "VIBF" Age <23
24I‡	F	Extraction Status Code of VIBS is invalid. All of the following conditions must be met to be valid: Not "TTL1" or "VIBF" or "VIBC" Age <23 Exit Code = blank Classification Code = SUSP Entitlement Flag = Y Compliance Flag = blank, and Compliance Override Flag = S or C
24J*	F	Extraction Status Code of VIBS is invalid. All of the following conditions must be met to be valid: Not "TTL1" or "VIBF" or "VIBC" Age <23
24K‡	F	Extraction Status Code of STSV is invalid. All of the following conditions must be met to be valid: Age <21 and >4 Grade not = PK Exit Code = blank Classification Code = SERV Entitlement Flag = Y

24L* F	<p>Compliance Flag = blank, and Compliance Override Flag = S or C</p> <p>Extraction Status Code of STSV is invalid. All of the following conditions must be met to be valid:</p> <p>Age <21 and >4</p> <p>Grade not = PK</p>
24Z‡ F	<p>Extraction Status Code of STS5 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 5</p> <p>Grade = PK</p> <p>Exit Code = blank</p> <p>Classification Code = SERV</p> <p>Entitlement Flag = Y</p>
24M* F	<p>Compliance Flag = blank, and Compliance Override Flag = S or C</p> <p>Extraction Status Code of STS5 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 5</p> <p>Grade = PK</p>
24N‡ F	<p>Extraction Status Code of STS4 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 4</p> <p>Grade = PK</p> <p>Exit Code = blank</p> <p>Classification Code = SERV</p> <p>Entitlement Flag = Y</p>
24O* F	<p>Compliance Flag = blank, and Compliance Override Flag = S or C</p> <p>Extraction Status Code of STS4 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 4</p> <p>Grade = PK</p>
24P‡ F	<p>Extraction Status Code of STS3 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 3</p> <p>Grade = PK</p> <p>Exit Code = blank</p> <p>Classification Code = SERV</p> <p>Entitlement Flag = Y</p>
24Q* F	<p>Compliance Flag = blank, and Compliance Override Flag = S or C</p> <p>Extraction Status Code of STS3 is invalid. All of the following conditions must be met to be valid:</p> <p>Age = 3</p> <p>Grade = PK</p>

- 24R‡ F Extraction Status Code of STUN is invalid. All of the following conditions must be met to be valid:
 Age <21 and >4
 Grade not = PK
 Exit Code = blank
 Classification Code = UNSV or NOSV
 Entitlement Flag = Y
 Compliance Flag = blank, and Compliance Override Flag = S or C
- 24S* F Extraction Status Code of STUN is invalid. All of the following conditions must be met to be valid:
 Age <21 and >4
 Grade not = PK
- 24T‡ F Extraction Status Code of STU5 is invalid. All of the following conditions must be met to be valid:
 Age = 5
 Grade = PK
 Exit Code = blank
 Classification Code = UNSV or NOSV
 Entitlement Flag = Y
 Compliance Flag = blank, and Compliance Override Flag = S or C
- 24U* F Extraction Status Code of STU5 is invalid. All of the following conditions must be met to be valid:
 Age = 5
 Grade = PK
- 24V‡ F Extraction Status Code of STU4 is invalid. All of the following conditions must be met to be valid:
 Age = 4
 Grade = PK
 Exit Code = blank
 Classification Code = UNSV or NOSV
 Entitlement Flag = Y
 Compliance Flag = blank, and Compliance Override Flag = S or C
- 24W* F Extraction Status Code of STU4 is invalid. All of the following conditions must be met to be valid:
 Age = 4
 Grade = PK
- 24X‡ F Extraction Status Code of STU3 is invalid. All of the following conditions must be met to be valid:
 Age = 3
 Grade = PK
 Exit Code = blank
 Classification Code = UNSV or NOSV
 Entitlement Flag = Y
 Compliance Flag = blank, and Compliance Override Flag = S or C

- 24Y* F Extraction Status Code of STU3 is invalid. All of the following conditions must be met to be valid:
Age = 3
Grade = PK
- 26 **Compliance Override Flag**
26A‡ W Compliance Override Flag must be S (System) or C (Compliant) or N (Noncompliant).
- 28 **Entitlement Flag**
28A‡ W Entitlement Flag must be Y or N.
- 29 **Exit Code**
29A‡ W Exit Code must be AO, DC, DE, DO, EX, GC, GD, LM, NSHW, NP, PR, RC, TR, or blank.
29B‡ W Exit Code must be blank if the student has not exited (i.e. Exit Code is nonblank and a Classification Code other than EXIT is present).
29C‡ W Exit Code must be present if student has exited (i.e. Exit Code is blank and Classification Code = EXIT).
- 30 **Classification Code**
30A‡ W Classification code of SUSP (suspect) is expected for a student being counted as suspect (i.e. Classification Code not = SUSP and Extraction Status Code is VIBS).
30B‡ W Classification Code of UNSV (not being served) or NOSV (no service information) is expected for a student being counted as unserved. (i.e. Extraction Status Code is STUN, but Classification Code not = UNSV or NOSV).
30C‡ W Classification Code must be EXIT, NOSV, SERV, SUSP, or UNSV.
- 31 **Classification Date**
31A‡ W Classification Date is expected to be later than or equal to the APC Decision for Placement Date for students being counted (i.e. Extraction status code not = blank or VIBS or STUx where x = N, 3, 4, 5, and Classification Date is < IEP team decision for Placement Date).
31B‡ W Classification Date is expected to be earlier than or equal to the Effective Date for students being counted (i.e. Extraction status code not = blank or VIBS or STUx where x = N, 3, 4, 5, and Classification Date is > Effective Date).

- 32 **Special Education Setting/Unserved Reason**
- 32A F Special Education Setting is invalid. It must be CYF, HOS, HOM, PSS, PVS, REG, RES, RSP, RSV, or SEP if the student is being counted as served (i.e. Special Education Setting must be one of the above if the Extraction Status Code is non-blank and not = VIBS or STUx where x = N, 3, 4, 5).
- 32C‡ W Unserved Reason is invalid. It must be LF, LP, or PI if the Classification Code is UNSV.
- 33 **Basic Education Setting**
- 33A‡ W Basic Education Setting of Federal School, Public School, Private Parochial School, Private Non-Parochial School, or Other is expected for a visiting student (i.e. Basic Education Setting is not FED, OTHR, PUBL, PPR, or PNPR, and Attendance Category is VED1 or VST1).
- 33B‡ W Basic Education Setting is not expected unless the student is a visiting student (i.e. Basic Education Setting is present and Attendance Category is not VED1 or VST1).
- 34 **Attendance Category**
- 34A‡ W Attendance Category is expected to be visiting for all students enrolled in school number 000. (i.e. School number is 000 and Attendance Category is not VED1 or VST1).
- 34B‡ W Attendance Category is expected to be MED1, MST1, VED1, or VST1.

‡ SIMS SCHOOLS ONLY

* NON-SIMS SCHOOLS ONLY